



## RESEARCH ARTICLE

### SACRED GROVES OF MAHARASHTRA – A REVIEW

Pramod P. Sharma and Sudhir N. Solanke

Research Center in Botany, Shri Muktanand College, Gangapur, Chh. Sambhajanagar, Maharashtra, India

#### ARTICLE INFO

##### Article History

Received 10<sup>th</sup> April, 2024

Received in revised form

16<sup>th</sup> May, 2024

Accepted 17<sup>th</sup> June, 2024

Published online 30<sup>th</sup> July, 2024

##### Keywords:

Sacred Groves,  
Sacred Forests,  
Maharashtra, Review.

\*Corresponding author: Pramod P. Sharma

#### ABSTRACT

Sacred groves (SGs) are considered as rich source of biodiversity, and also the source of endemic and threatened species. Existence of SGs is since centuries, as a traditional way of conservation and has a significant contribution in the process of biodiversity conservation. SGs are of positive consequential amalgamation of religion and ecology. Moreover, SGs are also significant as most of the plants are being used for medicinal purposes. Present review article is an attempt to bring together the data from published articles, books on SGs of Maharashtra at one platform and with its analysis. Data for the present review article based on the published works, for giving an opportunity to study the various aspects of SGs. Data such as, district wise number of research publications, different type of works done on SGs have been provided.

Copyright©2024, Pramod P. Sharma and Sudhir N. Solanke. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Citation: Pramod P. Sharma and Sudhir N. Solanke. 2024. "SACRED groves of Maharashtra – A review.", International Journal of Recent Advances in Multidisciplinary Research, 11, (07), 10129-10134.

## INTRODUCTION

SGs are certain areas of forests or natural vegetation that are dedicated to local folk deities or ancestral and tree spirits. These are the forest patches of varying sizes protected by local communities, and which typically have a noteworthy religious connotation for safeguarding the community. (Hughes and Chandran, 1998), defined SG as "segments of land, containing vegetation, life forms and geographical features, delimited and protected by human societies under the belief that to keep them in a relatively undisturbed state is an expression of an important relationship of humans with the divine or with nature". The SGs differ greatly in size, some may comprise only a few plants with smaller land area, while others may have size of hundreds of acres. In India the SGs have been in existence since time immemorial and at present are being considered to be the relics of the original forest vegetation in the region. In India, SGs have been recorded from North-east Himalayan region, Western and Eastern Ghats, Coastal regions, Central Indian Plateau and Western desert, (Malhotra, 2001). The role of SGs in the conservation of biodiversity has long been acclaimed and is documented by several researchers, such as, (Gadgil and Vartak, 1973; 1975; 1976 and 1981; Vartak and Gadgil, 1972 and 1981; Vartak and Kumbhojkar, 1984 and 1985; Vartak *et al*, 1984, etc.).

Vegetation in the SGs is supposed to be under the protection of the ruling deity of that particular grove, and the collection or use of plant resources or even a small twig is a taboo (Vartak and Gadgil, 1973). In other words, SGs can be considered as the *in-situ* conservation practice of the local communities as it is their traditional ecological heritage, which includes and conserves the diverse species in their natural habitat. These SGs are also considered as a rich and vibrant source of ecological, holistic treatments for illnesses, social in terms of reservoir for endemic and threatened species of plants, and SGs may provide emergency foods during periods of drought, crop failure, and food crisis. (Asokan *et al*, 2015) However, local people perceive relationship with SG in different ways, and follow various rules of conduct (taboos) with respect to the sacred space and its components.

In Maharashtra state SGs are found in tribal as well as non-tribal pockets. In western Maharashtra, SG is known as 'devrai' or 'devrahati' whereas in the eastern part it is known as 'devgudi'. In Maharashtra (Godbole *et al*, 1998) reported 250 SGs. (Gadgil and Vartak, 1981) reported 483 SGs from Maharashtra. While a study by Bombay Natural History Society reported, existence of about 1600 SGs in Maharashtra (Deshmukh *et al*, 1998).

## METHODOLOGY

For present review, information and data gathered from secondary online/ printed sources like, Journals, books, conference proceedings publications are considered. Further, the publications were categorised as, district wise number of papers/ articles and as per type of work done.

**SGs OF MAHARASHTRA:** Several studies have been conducted on SGs of Maharashtra. Present review includes 67 publications. Maximum number of papers/ articles are from different SGs of Pune district (28 articles), which is followed by Ratnagiri district (10 articles). There were few papers with the title of Maharashtra or Western Maharashtra on SGs which covered a general aspect or provided inventory.




Figure 1. Region wise / District wise no of Papers Published on SGs of Maharashtra

**TYPE OF WORKS IN SGs:** Different type of works has been done in SGs of Maharashtra which have been categorised in following 13 groups.




Figure 2. Different type of works on Sacred Groves of Maharashtra

**Assessment on Awareness of People about significance of SG:** Parkar, (2022) studied awareness of local people about significance of 'Kudavale' SG from Dapoli, Ratnagiri.

**Comparative studies:** Some researchers have done comparative studies between two SGs or life forms of different SGs or floristic study in and outside SGs or SGs belong to different communities. Gawade *et al*, (2018(b)), have done a comparative study of 4 life forms in 11 sacred groves of Dapoli, Ratnagiri. Burman (1996), have done comparative study of SG among Mahadeo Kolis and Kunbis of Maharashtra. Thete and Sharma, (2017), have compared the status of plant species occurring in Nazaraneshwar SG of Akole, Ahmednagar and its surrounding areas.

**Conceptual Study:** Nipunageand Kulkarni, (2011), explained 'deo-rahati' (SG)- An ancient concept of biodiversity conservation.

**Dams' disaster:** Kulkarni and Kumbhojkar, (1999), studied dams' disaster to biodiversity in SG of Western Maharashtra.

**Demarcation by GPS:** Gawade *et al*, (2018(a)), have done demarcation of some SGs by using GPS in Dapoli, Ratnagiri.

**District wise inventory:** Gadgil and Vartak, (1973) and Gadgil and Vartak, (1981), provided district wise inventory of SGs of Maharashtra. While, Gadgil and Vartak, (1976), provided village wise SG's and other details from Pune district.

**Ecological studies:** Several researchers have done remarkable work on the ecological studies on SGs of Maharashtra, such as, Nipunage *et al*, (2009), done ecological survey of SGs from Malshej Ghat, Pune; Kulkarni *et al*, (2013), have done quantitative evaluation of 'Sagadara' and 'Navalachi' monotypic SGs' of Pune; Phansalkarand Kulkarni, (2014), done ecological survey of 'Ajnawale' SG from Junnar, Pune; While, Sathe *et al*, (2017), have done ecological survey of 3 groves from arid regions of Sangali; Johi *et al*, (2015), studied 177 SGs for environmental impact caused, and collected valuable germplasm of rare and endangered species along with documentation of economic and ethnobotanically important plants. While, Kumbhojkar and Kulkarni, (1998), have studied environmental impact of SGs of western Maharashtra.

**Carbon Sequestration studies:** Hangarge *et al*, (2012), studied carbon sequestration potential of tree species in 'Somjaichi Rai' SG of Nandghur village in Bhor, Pune; Kulkarni and Kulkarni, (2013), studied carbon sequestration in 'Kalamvihira' SG of Jawhar, Thane; Konkane *et al*, (2018), have estimated carbon sequestration of tree species biomass from SGs' of Ambegaon, Pune. While Hangarge *et al*, (2015), have done estimation of soil organic carbon from selected SGs' of Bhor region, Pune.

**Ethnobotanical Studies:** Vartak and Gadgil, (1972), have done ethnobotanical survey in SG of Western Maharashtra and Ghalme, (2013), has done ethno-medico-botanical study of SGs' of Dapoli, Ratnagiri.

**Floristic/ Faunal Diversity:** Several works contributed to floristic diversity studies of SGs, such as, Bhise *et al*, (2013), studied floristic diversity of the 'Kalbhairvanatha' SG of Terungan village, Ambegaon, Pune and recorded total 180 angiosperm species. Hangarge *et al*, (2016), compared SGs

and their surrounding areas at taxa level, result showed 'Nivgunjaichi' SG was having 34 families and only 17 in surrounding areas; 'Somjaichi' SG, 48 and 13; 'Maulidevichi' SG 33 and 10; and 'Umberjaichi' SG, 29 and 16 respectively.

Kulkarni *et al.*, (2010), provided the data on prominent species occurring in SG of Bhor region of Pune. Shinde *et al.*, (2011), have studied floristic diversity of 'Uhadavane' SG from Akole, Ahmednagar and recorded 150 plant species. Kulkarni *et al.*, (2013), done evaluation of two monotypic SGs for their habitat conservation, population richness, quantitative assessment of tree diversity and comparative floristic account. Nipunage *et al.*, (1988), studied 'Sagdara' SG in Pune District; Nipunage *et al.*, (1993), studied SGs from Sinhagad hills, Pune; Pawar *et al.*, (2016), done quantitative evaluation of plant diversity of 27 newly reported sacred groves and recorded 105 plant species. Shaikh and Bagwan, (2020), studied floristic diversity of 'Durgawadi' SG of Junnar, Pune and listed 190 plants species. While Vartak and Gadgil, (1981) have studied floristic diversity in different SGs of Pune. Other floristic diversity studies such as, Nagpurkarand Raut, (2015), 11 SGs were studied to understand the concept of traditional ecological and biodiversity conservation in Nagzira Wls, Navegaon NP Corridor in Gondia. Chillawarand Telang, (2021), studied 'Kedarguda' SG from Hadgoan, Nanded and collected 42 plant species. Nipunage *et al.*, (2016), studied floristic diversity of 8 SGs from Palghar. Mhatre and Shinde, (2017), reported 4 new SG from Raigad and studied floristic diversity.

Ulman *et al.*, (2008), studied biodiversity of plants and birds of the SGs in the vicinity of Dapoli, Ratnagiri. Deshpande *et al.*, (2019), recorded 177 plant species under 137 genera belonging to 65 families from 'Kalbhairavnath' SG from Bharsakale, Satara. Mohite *et al.*, (2015), studies floristic diversity of the 'Pateshwar' SG of Satara and reported 363 species. Kulkarni A *et al.*, (2018), studied SGs of Pune for ecological function and their response to physical and degradation associated complications. Saste and Bhagat, (2024), compared status from earlier work with present study of 2 SGs from Maval, Pune. While Mahabaleshwarkar *et al.*, (2023), have studied faunal diversity from selected SGs of Pune and Patil, (2016) studied Spider diversity in SG from Ratnagiri. Some floristic diversity studies included the data regarding, deity, GPS data and number of species, such as, Godbole *et al.*, (1998) from Ratnagiri; Waghchaure and Tetali, (2006) from 14 sacred groves of Pune and Ghate and Datar, (2014) studied in SGs from Pune; Vipat and Bharucha, 2014, of 15 sacred groves from Pune and Kondekarand Gawade, (2020), 10 sacred groves from Kolhapur.

Some other floristic diversity studies on SGs along with additional parameters are also reported, such as, Kulkarni and Nipunge, (2009), floristic diversity and ecological evaluation of SG from Pune; Kavade *et al.*, (2013), floristic diversity and plant animal interaction from Ratnagiri; Nipunageand Kulkarni, (2011), floristic diversity and status of natural regeneration from Pune. Kulkarni A *et al.*, (2014), floristic diversity of 15 SGs with emphasis on northernmost distribution of 5 tree species from Pune; Sathe *et al.*, (2012), studied floristic diversity of trees from Sangli.

**Notes on Plants:** Upadhye *et al.*, (1987), published note on *Tinospora sinensis* in SG of Pune. Vartak and Kumbhojkar, (1985) reported notes on trees and lianas in SG of Western Maharashtra.

**Phytosociological Study:** Ghalme, (2018) done phytosociological studies of 'Wanzaloli' SG of Dapoli, Ratnagiri.

**Other Studies:** Deshmukh, (1998; 1999) provided detailed account of SGs in Maharashtra. While, Bhusare *et al.*, (2013) have studied general aspects of SG of Kalamvihira village, Jawhar, Thane. Omkar and Bhogaonkar, (2016), reported Islamic SG from Amrawati. Kumbhojkar *et al.*, (1996) studied social, cultural and environmental aspects in SG of Mahadeo Koli Tribe localities of Maharashtra. Pruthi and Burch, (2009), have done socio-ecological studies of SGs from Ratnagiri. Tetali and Gunale, (1990), studied status of SGs for western ghats of Maharashtra. Kumbhojkar and Vartak, (1988), studied wild edible grapes from SG from Western Maharashtra. Nipunage *et al.*, (2010), study includes rare and endemic plants in SG from Kolhapur. Kulkarni and Shindikar, (2005), studied threat to SGs from Pune. Upadhye *et al.*, (2004) reported threatened medicinal plants from SGs from Pune. Mahajan and Fatima, (2017) studied water conservation in sacred groves of Pune.

## CONCLUSION

SGs are a dynamic structure which may exist over periods as a relic of a natural and human caused ecosystem. SGs are dynamic structures as, the species composition naturally changes with time and also the ecological succession, even without any human disturbances. Most of the published works highlighted about the floristic diversity of SGs, some works provided the data on threatened plants, endemic plants and medicinal importance for human ailments, etc. Some works reveal and discuss about the role of sacred grove in biodiversity conservation. Some articles provided the information about the awareness of people about significance of SG; Dams disaster in SG; inventories of SGs; notes of plants in SG; carbon sequestration studies, ecological studies. The studies on SGs play vital role in conservation of biodiversity. SGs also offer protection to fragile habitats and act as a repository of many threatened and endemic species. However, in some areas some challenges and threats, so SGs need proper conservation and protection strategies in order to save them from the verge of further degradation.

## ACKNOWLEDGEMENT

Authors are thankful to the Principal of the college for support and encouragement.

## REFERENCES

- Asokan, A., Chouhan, S. and Singh, V. 2015. Sacred Grove— A Nature's Gift—as a Remedy for Human Ailments, a Biodiversity Reservoir for Restoring Indigenous Traits for Endangered Listed Plants—A Review. Open Access Library Journal, 2: e1517.

- Bhise, M.R., Rahangdale S.S., Rahangdale S.R. and Kambhar, S.V. 2013. Floristic study of Kalbhairavanatha sacred grove, Terungan, Ambegaon Taluka, Pune. *Journal of Botany* 2(1), pp. 17–24.
- Bhusare S., Bhosale B. and Kulkarni, D.K. 2014. Traditional heritage of Kalamvihira sacred grove conservation and culture practices associated in tribal's of Jawhar, Thane district. Maharashtra State, India. *Indian Journal of Advances in Plant Research* 1(6), pp. 5-9.
- Bhusare, S.N. 2013. Conservation and restoration of sacred grove and people's biodiversity register of Kalamvihira village, Jawhar Tehsil, Thane Dist., Maharashtra, India. A Spark fellowship Program, Batch –III. Submitted to BAIF Development Research Foundation, Pune- 58. pp.1-52.
- Burman, J.R. 1996. A comparison of sacred groves among the Mahadeo Kolis and Kunbis of Maharashtra. *Indian Anthropologist* 26(1), pp. 37–45.
- Chillawar Ramesh, Suresh Telang. (2021). Floristic Diversity of Sacred Grove of Nanded District of Maharashtra. 2021. *JETIR* February, 8(2): 513-516.
- Deshmukh, S. 1999. Conservation and Development of Sacred Groves in Maharashtra – Final Report of the world Bank Aided Maharashtra Forestry Project, BNHS, Mumbai. 289p.
- Deshmukh, S., Gogate, M.G. and Gupta, A.K. 1998. Sacred groves and biological diversity: Providing plew dimensions to conservation Issue, In: Ramakrishnan, P.S., Saxena K.G. and Chandrashekara, U.M. (eds.) *Conserving the Sacred for Biodiversity Management*, Oxford and IBH Publishing Co., New Delhi, pp. 397-414.
- Deshpande S., Pawar U., Bhoite S. and Chavan J. 2019. Floristic study of kalbhairavnath sacred grove, Bharsakale, Satara, Maharashtra. *Species*, 20, pp. 155-162
- Gadgil M. and Vartak, V.D. 1981. Sacred groves of Maharashtra -An inventory, In Jain S.K.(ed) *Glimpses of Indian Ethnobotany*, Oxford and IBH, New Delhi,: pp.279-294.
- Gadgil M. and Vartak V.D. 1973. The Sacred groves of Western Ghats in India, *Econ. Bot.*, 30(2), pp. 152-160.
- Gadgil M. and Vartak V.D. 1975. Sacred groves of the India - A plea of the continued conservation, *J. Bombay Nat. Hist. Soc.* 72(2), pp. 314-320.
- Gadgil M. and Vartak V.D. 1976. Sacred groves of the Western Ghats in India, *Economic Botany*, 30, pp.152-160.
- Gadgil. M. and Chandran, S. 1992. Scared Groves. *India International Centre Quarterly*. 19(1-2), pp. 183-187.
- Gawade S. G., Patil V. K., Sangare, S. M., Patil, Y. B., Mhaiske, V. D., Rane A. D. and Narkhede S. S. 2018(a). Demarcation of Some Sacred Groves in Dapoli Taluka of Ratnagiri District in Maharashtra. *Advanced Agricultural Research & Technology Journal*. in Vol. 2(1), pp. 30-32.
- Gawade, S.G., Patil, V.K., Patil Y.B., Sangare, S.M., Maihske, V.D., Rane A.D. and Narkhede, S.S. 2018(b). Plant Diversity in Sacred Groves of Dapoli: A Comparative Study of Four Life Forms. *Int. J. Curr. Microbiol. App. Sci.* 7(12), pp. 2502-2520. doi: <https://doi.org/10.20546/ijemas.2018.712.285>
- Ghalame, R. L. 2013. Ethno-Medico-Botanical studies on some sacred grove of Dapoli tehsil, district Ratnagiri, M.S. (Ph.D. thesis).
- Ghalme R. L. 2018. Phytosociological Studies on Wanzaloli Sacred Grove of Dapoli Tahsil, District Ratnagiri (M.S.), India. *I J R B A T*, 4(1), pp. 31-34.
- Ghate V. and Datar M. N. 2014. Maharashtra: A Case Study of Sacred Groves in Velhe Taluka of Pune District, in Krishna Nanditha and M. Amirthalingam (eds.) *Sacred Goves of India a Compendium*, Publ. C.P.R. Environmental Education Center Chennai. Pp 247-252.
- Godbole A., Watve A., Prabhu S. and Sarnaik J. 1998. Role of Sacred groves in Biodiversity Conservation with Local Pepole's Participation: A Case study from Ratnagri District Maharashtra. In P.S. Ramakrishnan; K.G. Saxena and U.M. Chandrashekara (eds) *Conserving the Sacred: For Biodiversity Management*, Oxford and IBH Publishing Company Private Limited New Delhi pp. 233- 246.
- Hangarge L. M., Kulkarni, D. K., Gaikwad, V. B., Mahajan D. M. and Chaudhari, N. 2012. Carbon Sequestration potential of tree species in Somjaichi Rai (Sacred grove) at Nandghur village, in Bhor region of Pune District, Maharashtra State, India. *Annals of Biological Research*, 3 (7), pp.3426-3429.
- Hangarge L. M., Kulkarni, D. K., Gaikwad, V. B., Mahajan D. M. and Gunale V. R. 2016. Plant diversity of sacred groves and its comparative account with surrounding denuded hills from Bhor region of Western Ghats. *Bioscience Discovery*, 7(2), pp.121-127.
- Hangarge, L.M., Kulkarni, D.K., Gaikwad, V.B. and Mahajan D.M. 2015. Soil organic carbon (SOC) in selected sacred groves from Bhor region of western ghats, Maharashtra. *Asian J. Environ. Sci.*, 10(2), pp. 166-171.
- Hughes J.D., and Chandran M.D.S. 1998. Sacred groves around the earth: An overview. In Ramakrishnan P.S., Saxena K.G., and Chandrashekharan U.M., (eds.) *Conserving the sacred groves for Biodiversity Management*, Oxford and IBH Publishing Co. Pvt. Ltd., New Delhi.
- Johi R., Kulkarni, S. Bhusare S., Phansalkar, N., Nipunage D. and Kulkarni D. (2015). *Ecosystem Services of Sacred Groves in Western Maharashtra Through Multiple Facets. Life Sciences Leaflets*. Pp. 156-172. <http://lifesciencesleaflets.ning.com/>
- Kavade S. P., Lawate D. V. and Berde V. B. 2013. An Assessment of Floristic Diversity and Plant-animal Interaction in Coastal Sacred Groves of Ratnagiri District, Maharashtra State. *Journal of Science Information, Conf. Issue-8*, pp. 60-67. (ISSN: 2229-5836).
- Kondekar S. H. and Gavade S. M. 2020. Study of Sacred Groves in Western Panhala Tehsil of District Kolhapur. *International Journal of Advance and Applied Research (IJAAR)*, 8(2), pp. 38-52.
- Konkane S., Thumati, S. Phatak, M. Bhide, S., Vartk, A. and Kulkarni D.K. 2018. Carbon Sequestration of Sacred Groves in Ambegaon taluka of Pune districts through student activity. *Bioscience Discovery*. 9(4), pp. 501-508.
- Kulkarni D. K., Nipunage, D. S., Hangarge, L. M., and Kulkarni A. D. 2013. Quantitative plant diversity evaluation of sagadara and navalachi rai monotypic sacred groves in pune district of Maharashtra state, India. *Annals of Biological Research*. 4 (2), pp. 234-240.
- Kulkarni D.K., Nipunage D.S., Hangarge L.M. and Kamble P.B. 2010. Natural heritage of forest conservation in Bhor region of Pune, India, *Asian Journal of Environmental Science*, Vol. 5 (2), pp. 94-98.
- Kulkarni D.K. and Nipunage D.S. 2009. Floristic diversity and ecological evaluation of 'Dhup-Rahat' sacred grove from Pune district. *Geobios* 36, pp. 298-302.

- Kulkarni DK and Shindikar M. 2005. Plant diversity evaluation in Shirkari Sacred grove of Pune district, Maharashtra. *Indian Journal of Forestry* 28(2), pp. 127-131.
- Kulkarni S. and Kulkarni D.K. 2013. Kalamvihira sacred grove- a potential tree growth for carbon sequestration in Jawhar taluka of Thane district. *Annal. Biological Res.*, 4(6), pp. 119-123.
- Kulkarni, A., Upadhye, A., Dahanukar N. and Datar M.N. 2018. Floristic uniqueness and effect of degradation on diversity: A case study of sacred groves from northern Western Ghats. *Tropical Ecology* 59(1), pp. 119–127.
- Kulkarni, A., Datar, M.N., Awasarkar U. and Upadhye A. 2014. Northernmost distribution of five tree species to the Western Ghats from the sacred groves of Pune District, Maharashtra, India. *Journal of Threatened Taxa* 6(8), pp. 6093–6100; <http://dx.doi.org/10.11609/JoTT.o3644.6093-100>
- Kulkarni, D.K. and Kumbhojkar M. S. 1999. Dams-disaster to biodiversity in sacred groves. *Deccan Geographer*, 37, pp. 65-72.
- Kumbhojkar M.S. and Vartak V.D. 1988. Ethnobotanical Studies on Wild Edible Grapes from Sacred Groves in Western Maharashtra, *J.Econ.Tax.Bot.* 12(2), pp. 257-263.
- Kumbhojkar, M. S. and Kulkarni D. K. 1998. Environmental impact of sacred groves in Western Ghats of Maharashtra. *Sci. & Cult.* 64, pp. 205-207.
- Kumbhojkar, M.S., Upadhye A. S. and Kulkarni D. K. 1996. Religious forest patches among Mahadeokoli tribal localities- social, cultural and environmental relationship. In, *Ethnobiology in Human welfare* Jain S.K. (Ed). Deep Publication, New Delhi, India, pp. 349-351.
- Mahabaleshwarkar M, Ghayal N and Mahabaleshwarkar S. 2023. Records of faunal diversity from selected sacred groves in Pune District, India. *Res. Jr. Agril. Sci.* 14(5), pp. 1244-1250.
- Mahajan M. and Fatima S. 2017. Water Conservation in Sacred Groves. *Epitome: International Journal of Multidisciplinary Research.* 3(7), pp. 17-21. <http://www.epitomejournals.com>.
- Malhotra K.C., Gokhale, Y., Chatterjee, S. and Srivastava S. 2001. Cultural and ecological dimensions of sacred groves in India. Report. Indian National Science Academy, New Delhi & Indira Gandhi Rashtriya Manav Sangrahalaya, Bhopal. pp.128-132.
- Mhatre K. and Shinde R. 2017. Four New Reports of Sacred Groves for The State of Maharashtra. *J. Indian bot. Soc.* 96(1&2), pp. 39-46.
- Mohite S. A., Pawankar, S., Kulkarni, M., Sabale, R. R., Sathe S. S. and Chikmath P. C. 2015. Floristic Diversity of Pateswar Sacred Grove Dist-Satara, Maharashtra, India. *I J R B A T*, 2(3), pp. 35-38.
- Nagpurkar L. P, and Raut M. 2015. The Sacred Groves and Conservation of Biodiversity of Nagzira Wls – Navegaon Np Corridor in Gondia District of Maharashtra State, India. *I J R B A T*, 2(7), pp. 333-339.
- Nipunage D.S., Sathe, K. Joshi, R. and Kulkarni D.K. 2016. Natural Heritage of Biodiversity Conservation in Palghar District, Maharashtra State, India. *Indian Journal of Fundamental and Applied Life Sciences.* 6(1), pp. 21-32.
- Nipunage D.S., Kumbhojkar M.S. and Vartak V.D. 1988. Studies on Sacred Groves of Maharashtra Part I. observations on Sagdara Grove in Pune District, The Indian Journal of Forests. 11(4), pp. 282-286.
- Nipunage D.S. and Kulkarni D.K. 2010. Deo-rahati: An Ancient Concept of Biodiversity Conservation. *Asian Agri-History.* 14(2), pp. 185–196.
- Nipunage, D.S. and Kulkarni D.K. 2011. Floristic diversity and status of natural regeneration from sacred groves, Ambegaon taluka of Pune district, Maharashtra State, India. *Indian J. Forestry*, 34(4), pp. 457-464.
- Nipunage, D.S., Kulkarni, D.K. and Vartak V.D. 1993. Floristic studies on sacred groves from Sinhgad hills in Pune district, Maharashtra state. Higher plants of Indian subcontinents. *Indian J. Forestry (Addl.Ser.)*, 6, pp. 153-159.
- Nipunage, D.S., Kulkarni, D.K., Karndikar, K.G. and Haridas D.P. 2009. Ecological survey of sacred groves from Malshej Ghat, Pune district, Maharashtra State. *Indian J.Trop. Biodiveristy*, 17(2), pp. 39-44.
- Omkar A. A. and Bhogaonkar P. Y. 2016. First Record of an Islamic Sacred Grove from Eastern Maharashtra. *ZOO's PRINT*, 31(8), pp. 6-7.
- Parkar P. R. 2022. Changing Perspectives of Local Community Threatens Sacred Grooves. *IJAAR.* 9(4), pp. 590-596.
- Patil, V.K. 2016. Diversity of Spider Assemblages in Sacred Groves of Ratnagiri, Maharashtra: Implications for Conservation Management in the Landscape (Ph.D. thesis).
- Pawar S.G., Pawar, S.S., Kamble, V.M., Kamble, S.Y. and Singh E.A. 2016. Quantitative Evaluation of Plant Diversity from Newly reported Sacred Groves (Devrais) in Pune District (Maharashtra). *Asian Journal of Multidisciplinary Studies.* 4(10): 58-66.
- Phansalkar, N.S. and Kulkarni D.K. 2014. Ecological survey of Ajnawale sacred grove from Junnar area of Pune district, Maharashtra, India. *Indian J. Adv. Plant Res. (IJAPR)* 1(4), pp. pp. 10-12.
- Pruthi I. and Burch W. 2009. A Socio-Ecological Study of Sacred Groves and Memorial Parks: Cases from USA and India. *Int. Journ. Of Civil and Environmental Engineering.* 3(3), pp. 151-158.
- Saste, K.H. & R.B. Bhagat. 2024. Status of floristic diversity and impact of development on. sacred groves from Maval Tehsil (Maharashtra, India) after a century. *Journal of Threatened Taxa* 16(3), pp. 24838–24853.
- Sathe S. S., Lavate R. A. and Mohite S. A. 2017. Ecological Notes on Sacred Groves from Arid Region of Sangli District. *IJRBA T*, 5(Special Issue,1), pp. 65-69.
- Sathe S. S., Lavate R. A. and Shimple V. B. 2012. Studies on Floristic Diversity of three Sacred Groves from arid region of Sangli District (Maharashtra). *J. of Econ. Taxon. Botany* 36(1), pp. 91 -101.
- Shaikh S. G. and Bagwan R.A. 2020. Floristic Diversity of Durgawadi Sacred Grove in TahasilJunnar District Pune, Maharashtra, India. *IJCRT.* 8(4), pp. 3160-3170.
- Shinde Vidya V., Dhale D.A. and Gaykar B.M. 2011. Sacred Groves: Traditional way of conserving Plant Diversity. *Journal of Ecobiotechnology.* 3(9), pp. 23-25.
- Tetali, P. and V.R. Gunale., (1990). Status of sacred groves in the Western Ghats, Tanajisagar dam catchment area. *Biol. Ind.*, 1(1), pp. 9-16.
- Thete A. M. and Sharma P. P. 2017. Status of some plants in Sacred Groves of Akole taluka, Ahmednagar and their

- comparative account with surrounding areas. *Bioscience Discovery*. 8(3), pp. 588-591.
- Ulman Y.N., Mokate, D.N. and Talathi J.M. 2008. Biodiversity of sacred groves in Ratnagiri, Maharashtra. *Asian J. Environ. Sci.* 3(2), pp. 90-96.
- Upadhye A.S., Kumbhojkar M.S and Vatak V.D. 1987. Note on Magnificent *Tinospora sinensis* (Lour.) Merrill in Sacred Groves of Pune District, "The Indian Forester". 113(2), pp. 154-157.
- Upadhye, A.S., D.K. Kulkarni and Kumbhojkar M.S. 2004. Threatened medicinal plants from sacred groves of Pune district, Maharashtra, India. Focus on Sacred groves and Ethnobotany (Eds. Ghate, V.; Sane, H. & Ranade, S.S. ) 2004. Published by Prism Publications, A Division of Timely Management Consl. Servs. Pvt. Ltd. Mumbai pp. 150-154.
- Vartak V. D. and Gadgil M. 1972. Dev-Rahati: an ethnobotanical study of tracts of forest preserved on grounds of religious beliefs. Proceedings of Indian Science Congress, 16<sup>th</sup> Session. Pp. 68
- Vartak V.D. and Kumbhojkar M.S. 1985. Note on Trees and Lianas of Some Sacred Groves in Western Maharashtra, *Biovigyanam*, 11(2), pp. 214-215.
- Vartak V.D., Kumbhojkar M.S. and Nipunage D. S. 1984. Sacred groves of Tribal Areas along the Western Ghats: Treasure Trove of Medicinal plants. *B.M.E.B.R.* 3, pp. 77-84.
- Vartak, V.D. and Gadgil M. 1981. Studies on Sacred groves along the Western Ghats from Maharashtra and Goa. Role of Beliefs and Folklores. *Glimpses of Indian Ethnobotany*: pp. 273-378.
- Vartak, V.D. and Kumbhojkar M.S. 1984. Notes on the lianas of some sacred groves in Western Maharashtra. *Biovigyanam* pp. 11:214 – 215.
- Vipat A. and Bharucha E. 2014. Sacred Groves: The Consequence of Traditional Management. *Journal of Anthropology*. Vol. 2014, Article ID 595314, 8 pages.
- Waghchaure, C.K., Tetali, P., Gunale, V.R., Antia, N.H. and Birdi T.J. 2006. Sacred groves of Parinche valley of Pune district of Maharashtra, India and their importance. *Anthropology and Medicine* 13 (1), pp. 55-76.

\*\*\*\*\*